

JAZZY

Cultivation advice



**Purpose: Tablestock
Salad**

Cross: FRANCELINE x CUPIDO

Characteristics:

Maturity	8.0
Colour of skin	G
Color of flesh	7.0
Shape of tuber	L/LO
Depth of the eyes	8
Regularity shape of tuber	7
Size of tubers	3
Grading	8
Dry matter percentage	18.9
Suitability for cooking	8A
Dormancy	4.0

Comments:


9 = positive 1 = negative
 Yellowness of flesh: 8 = yellow 4 = white
 Colour of skin: L=light, D=dark, W=white, G=yellow, R=red
 Shape of tuber: R = Round O = Oval L = Long
 Cooking type: A = Firm D = Very mealy

Planting distance:


Size	Rowspace 75 cm	Plants/hectare (x 1000)
25/28	15	88,9
28/35	18	74,1
35/45	25	53,3
45/50	27	49,4

Fertilisation (kg/ha):

depending on the soil reserve



Storage:



4 °C
6 months

Resistance:

Leaf roll	7
A-virus	7
X-virus	8
Y-virus	6
Yntn-virus	7
Foliage blight	3
Wart disease	O1
Potato cyst nematode	-
Common scab	6.5
Spraing	8
Bruising	7
Secondary growth	6

Comments:

R = resistant 1 = very susceptible
 Ro(x) = Globodera Rostochiensis pathotype (x)
 Pa(x) = Globodera Pallida pathotype (x)
 (wv)O1 = (little susceptible) resistant wart disease fysio 1

Be careful by using Sencor, only little practical experience with Sencor.