

# LADY AMARILLA



## Cultivation advice

Purpose: French fry / Table

### Characteristics:

Maturity	7.5
Colour of skin	DG
Color of flesh	7.5
Shape of tuber	LO/O
Depth of the eyes	8
Regularity shape of tuber	7.5
Size of tubers	7.5
Grading	7.5
Dry matter percentage	22.5
Suitability for cooking	7BC
Dormancy	7.5

#### Comments:


9 = positive .... 1 = negative  
 Yellowness of flesh: 8 = yellow ..... 4 = white  
 Colour of skin: L=light, D=dark, W=white, G=yellow, R=red  
 Shape of tuber: R = Round O = Oval L = Long  
 Cooking type: A = Firm ..... D = Very mealy

### Planting distance:


Size	Rowspace 75 cm	Plants/hectare (x 1000)
28/35	31	43,0
35/45	35	38,1
35/50	40	33,3
45/50	42	31,7
50/55	44	30,3

### Fertilisation (kg/ha):

depending on the soil reserve



### Storage:



6 °C  
8 months

### Resistance:

Leaf roll	7
A-virus	8
X-virus	8
Y-virus	6
Yntn-virus	8
Foliage blight	4.5
Tuber blight	
Wart disease	O1
Potato cyst nematode	-
Common scab	5.5
Spraing	8
Bruising	9
Secondary growth	8

#### Comments:

R = resistant .... 1 = very susceptible  
 Ro(x) = Globodera Rostochiensis pathotype (x)  
 Pa(x) = Globodera Pallida pathotype (x)  
 (ww)O1 = (little susceptible) wart disease fysio 1

Be careful by using Sencor, only little practical experience with Sencor.