LADY JO

Cultivation advice

Purpose: Crisp
Good processing quality

Characteristics:

Maturity	7.0
Colour of skin	G
Color of flesh	7
Shape of tuber	R
Depth of the eyes	6
Regularity shape of tuber	8
Size of tubers	7
Grading	8
Dry matter percentage	24.5
Suitability for cooking	6CD
Dormancy	6

Comments:
9 = positive .... 1 = negative
Yellowness of flesh: 8 = yellow . . . . 4 = white
Colour of skin: L=light, D=dark, W=white, G=yellow, R=red
Shape of tuber: R = Round O = Oval L = Long
Cooking type: A = Firm . . . . D = Very mealy

Planting distance:

Size	Rowspace 75 cm	Plants/hectare (x 1000)
28/35	18	74,1
35/50	26	51,3
35/55	30	44,4
50/60	35	38,1

Fertilisation (kg/ha):

depending on the soil reserve



				Total
Nitrogen:	(N)	200	50	250
Phosphate:	(P_2O_5)	110		110
Potassium:	(K_2O)	230		230

Storage:



7 °C
5 months

Resistance:

Leaf roll	7
A-virus	7
X-virus	8
Y-virus	5.5
Yntn-virus	7
Foliage blight	4.5
Tuber blight	8
Wart disease	wv1
Potato cyst nematode	Ro1,4
Common scab	6.5
Spraing	7
Bruising	9.5
Secondary growth	6

Comments:
R = resistant .... 1 = very susceptible
Ro(x) = Globodera Rostochiensis pathotype (x)
Pa(x) = Globodera Pallida pathotype (x)
(wv)O1 = (little susceptible) wart disease fysio 1

Wait for eyes waking up before planting
Sensitive to the full dose of Sencor pre-emergence.

C. Meijer B.V. will not be responsible for possible negative effects originating from this advice.