

LADY LENORA

Cultivation advice



Purpose: Crisp

Characteristics:

Maturity	7.5
Colour of skin	LG
Color of flesh	5.5
Shape of tuber	R/RO
Depth of the eyes	6.5
Regularity shape of tuber	7
Size of tubers	7
Grading	7.5
Dry matter percentage	24.5
Suitability for cooking	
Dormancy	6.5


Comments:
 9 = positive 1 = negative
 Yellowness of flesh: 8 = yellow 4 = white
 Colour of skin: L=light, D=dark, W=white, G=yellow, R=red
 Shape of tuber: R = Round O = Oval L = Long
 Cooking type: A = Firm D = Very mealy

Planting distance:

Size	Rowspace 75 cm	Plants/hectare (x 1000)
28/35	19	70,2
35/50	27	49,4
35/55	29	46,0
50/55	33	40,4


Fertilisation (kg/ha):

depending on the soil reserve



To prevent mineral deficiencies, apply these elements in time (B, Mg, Mn, S)

Storage:



6 °C
4 months

Resistance:

Leaf roll	7
A-virus	7
X-virus	7
Y-virus	7
Yntn-virus	5
Foliage blight	5.5
Wart disease	r1
Potato cyst nematode	-
Common scab	5.5
Spraing	7.5
Bruising	6
Secondary growth	7

Comments:
 R = resistant 1 = very susceptible
 Ro(x) = Globodera Rostochiensis pathotype (x)
 Pa(x) = Globodera Pallida pathotype (x)
 (w) r1 = (little susceptible) resistant wart disease fysio 1

Be careful by using Sencor, only little practical experience with Sencor.
 Susceptible to common scab. Do not cultivate on sensitive soil.