

MUSICA

Cultivation advice



Purpose: Tablestock

Characteristics:

Maturity	7
Colour of skin	G
Color of flesh	8
Shape of tuber	L/LO
Depth of the eyes	7.5
Regularity shape of tuber	7
Size of tubers	7.5
Grading	8
Dry matter percentage	19
Suitability for cooking	8A
Dormancy	4


Comments:
 9 = positive ... 1 = negative
 Yellowness of flesh: 8 = yellow ... 4 = white
 Colour of skin: L=light, D=dark, W=white, G=yellow, R=red
 Shape of tuber: R = Round O = Oval L = Long
 Cooking type: A = Firm ... D = Very mealy

Planting distance:


Size	Rowspace 75 cm	Plants/hectare (x 1000)
28/35	20	66,7
35/45	26	51,3
35/50	28	47,6
35/55	30	44,4
45/50	31	43,0
50/55	33	40,4

Fertilisation (kg/ha):

depending on the soil reserve



Storage:



4 °C
6 months

Resistance:

Leaf roll	7
A-virus	7
X-virus	8
Y-virus	8
Yntn-virus	R
Foliage blight	4
Tuber blight	
Wart disease	O1
Potato cyst nematode	Ro1,2,3,Pa2
Common scab	6.5
Spraing	6.5
Bruising	7
Secondary growth	6.5

Comments:
 R = resistant ... 1 = very susceptible
 Ro(x) = Globodera Rostochiensis pathotype (x)
 Pa(x) = Globodera Pallida pathotype (x)
 (ww)O1 = (little susceptible) wart disease fysio 1

Do not pre-sprout
 Be careful by using Sencor, only little practical experience with Sencor.