

TERRA GOLD



Cultivation advice

**Purpose: Tablestock
For organic market**

Characteristics:

Maturity	5.5
Colour of skin	G
Color of flesh	7.5
Shape of tuber	O
Depth of the eyes	7
Regularity shape of tuber	7
Size of tubers	8.5
Grading	7
Dry matter percentage	19.0
Suitability for cooking	7.5B/BC
Dormancy	6.5

Comments:


9 = positive ... 1 = negative
 Yellowness of flesh: 8 = yellow ... 4 = white
 Colour of skin: L=light, D=dark, W=white, G=yellow, R=red
 Shape of tuber: R = Round O = Oval L = Long
 Cooking type: A = Firm ... D = Very mealy

Planting distance:

Size	Rowspace 75 cm	Plants/hectare (x 1000)
28/35	18	74,1
35/50	29	46,0
35/55	31	43,0
50/60	35	38,1


Fertilisation (kg/ha):

depending on the soil reserve



Nitrogen:	(N)	150	↓	↓	↓	↓	↓	↓	↓	↓	↓	↓	Total
Phosphate:	(P ₂ O ₅)	110											175
Potassium:	(K ₂ O)	230				25							110
													230

Storage:



5 °C
8 months

Resistance:

Leaf roll	7
A-virus	8
X-virus	8
Y-virus	6
Yntn-virus	3
Foliage blight	6.5
Tuber blight	7
Wart disease	O1
Potato cyst nematode	Ro1
Common scab	7
Spraing	7
Bruising	9
Secondary growth	7

Comments:

R = resistant ... 1 = very susceptible
 Ro(x) = Globodera Rostochiensis pathotype (x)
 Pa(x) = Globodera Pallida pathotype (x)
 (ww)O1 = (little susceptible) wart disease fysio 1

Pre-sprout the seeds well
 If you observe foliage blight, take action to prevent tuber infection.
 Wait for a set skin before harvest